

# uniq tablet II

Rugged 12,2" industrial tablet

Qualcomm(OCTA Core), 2.0GHz



Android



IP65



GPS



High-capacity



Bluetooth



1D



2D



NFC



4G



WIFI

## Functions

- Support for Android 10 system
- Optional 4G all network communication, WiFi, Bluetooth and other communication modes
- 12600mAh battery, 6-8 hours of machine endurance
- IP65 high protection level, in accordance with MIL-STD-810G
- Support GPS, Glonass, more accurate positioning
- Support 1920x1200 high score screen, optional with Corning gorilla TP
- Support 1D/2D, NFC and other functional modules for free selection

## Specification Parameter

### Basic parameters

Dimension	319.6 x 216 x 23.4mm
Weight	Device unit 1500g
Device Color	Black
LCD	12.2 inch IPS 16:10, 1920*1200
Touch Panel	10points Capacitive, G+G, Corning Gorilla Glass
Camera	Front 5.0MP Rear 13.0MP
I/O	Type C x 1, USB 2.0 x 2, USB 3.0 x 1, SIM Card x 1, TF Card x 1, HDMI 1.4a x 1, 12pins Pogo Pin x 1, RS232 x 1, RS485 x 1, RJ45 (10/100M) x 1, $\Phi$ 3.5mm standard earphone jack x 1, $\Phi$ 3.5mm DC jack x 1
Power	AC100V ~ 240V, 50Hz/60Hz output DC DC 5V/3A
GPS	Support GPS+Glonass, Optional Beidou

### Optional modules

NFC	Support 14443A protocol under ISO/IEC, Card reading distance 3-5cm
1D	MOTO SE655E100R, Optical Position: 5mil, Scan speed: 50 times/s
2D	Honeywell N3680, Optical Position: 5mil, Scan speed: 50 times/s

### Performance parameter

CPU	Qualcomm(OCTA Core), 2.0GHz
OS	Android 10
RAM	4GB
ROM	64GB

## Battery

Capacity	3.7V/12600mAh
Type	Li_polyment, removeable battery
Endurance	8hrs(default 50% volumn, default 200 lumens brightness, play 1080P HD video)

## Network connections

WIFI	2.4G+5.8G dual frequency, WIFI 802.11(a/b/g/n/ac)
Bluetooth	BT4.2 (BLE) class1 transmission distance : 10m
4G	EU EDITION TDD-LTE: B38/40/41 FDD-LTE: B1/3/5/7/8/20 WCDMA:B1/B5/B8 GMS:B5/3/8

## Reliability

Operate Temperature	-20 °C ~ 60 °C
Store Temperature	-30 °C ~ 70 °C
Humidity	95% Non-Condensing
IP Grade	IP65

## Product Six Views

